





REVISIONS				
ECO	REV	DESCRIPTION	DATE	APPROVED
	1	REDRAWN TO AUTOCAD	10-03-05	
	2	ADDED TERMINALS 1L1 & 3	11-02-05	
	3	PRESSURE SWITCH CONTACTS WERE NORMALLY OPEN	05-26-10	
	4	REVISED CIRCUITRY	06-16-10	
	5	REVISED CIRCUITRY	09-17-10	
0258	6	ADDED PRESSURE SWITCH ONLY	02-26-18	CO



- NOTES:
- 1) MOST MOTORS ARE MULTIPLE VOLTAGE. VERIFY MOTOR INTERNAL CONNECTIONS ARE CORRECT FOR SUPPLY VOLTAGE.
 - 2) FEEDER WIRE SIZE MUST BE CAPABLE OF CARRYING STAR-UP CURRENT LOAD AND CURRENT LOAD AT MAXIMUM PRESSURE.
 - 3) PRESSURE SWITCH TO CONTROL COIL CIRCUIT.
 - 4) OTHER WIRING VARIATIONS ARE POSSIBLE. ALWAYS CONSULT LOCAL AND / OR BUILDING CODES FOR REQUIREMENTS.
 - 5) - - - DASHED LINES INDICATE FIELD CONNECTIONS.

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
FRACTIONS DECIMALS ANGLES
±1/4 .XX ±.13 ±1/2°

		TITLE	
		WIRING INSTRUCTIONS SINGLE AND THREE PHASE	
NEMA VERSION		DWG NO.	E-205126
APPROVALS	DATE	REV 6	
DRAWN EJR	10-03-05		
CHECKED DPH	10-03-05		
SCALE	SIZE		
NTS			
SHEET			
1 OF 1			