





REVISIONS				
ECO	REV	DESCRIPTION	DATE	APPROVED
PEND.	0	RELEASE OF DRAWING	08/04/23	DPH



- NOTES:
- 1) MOST MOTORS ARE MULTIPLE VOLTAGE. VERIFY MOTOR INTERNAL CONNECTIONS ARE CORRECT FOR SUPPLY VOLTAGE.
  - 2) FEEDER WIRE SIZE MUST BE CAPABLE OF CARRYING START-UP CURRENT LOAD AND CURRENT LOAD AT MAXIMUM PRESSURE.
  - 3) PRESSURE SWITCH TO CONTROL COIL CIRCUIT.
  - 4) OTHER WIRING VARIATIONS ARE POSSIBLE. ALWAYS CONSULT LOCAL AND / OR BUILDING CODES FOR REQUIREMENTS.
  - 5) - - - DASHED LINES INDICATE FIELD CONNECTIONS.
  - 6) ——— SOLID LINES INDICATE JUMPERS.

UNLESS OTHERWISE SPECIFIED  
DIMENSIONS ARE IN INCHES  
TOLERANCES ARE:  
FRACTIONS DECIMALS ANGLES  
±1/4 .XX ±.13 ±1/2°

**GENERAL AIR PRODUCTS**

APPROVALS	DATE	TITLE
DRAWN	08-04-23	WIRING INSTRUCTIONS
CHECKED	08-04-23	SINGLE AND THREE PHASE
DPH		COMPRESSORS
SCALE		IEC VERSION
NTS		
SHEET	1 OF 1	DWG NO. E-223103
		REV 0