





2.2 Electrical Schematic – 100-240V, 1PH, 50-60Hz




2


1

REVISIONS			
ECO	REV	DESCRIPTION	DATE
0XXX	0	RELEASE OF DRAWING	00/00/23
			APPROVED XXX

M8 CONNECTOR
PINOUT



2 WIRE CABLE, 22AWG



B

B

A

A

N:\Work\Engineering\Drawing File\STANDGUARD\
E224098 - STANDGUARD WIRING DIAGRAM

UNLESS OTHERWISE SPECIFIED,
DIMENSIONS ARE IN INCHES.
TOLERANCES ARE:

FRACTIONS	DECIMALS	ANGLES
$\pm X$	$.XX \pm X$	$\pm X^\circ$

THIS DRAWING AND ALL OF ITS CONTENTS ARE THE SOLE
PROPERTY OF GENERAL AIR PRODUCTS, INC. DETAILS
MAY CHANGE WITHOUT NOTICE. THE CONTENTS OF THIS
DRAWING MAY NOT BE REPRODUCED OR INCORPORATED
IN WHOLE OR IN PART IN ANY EQUIPMENT, NOR THE
MANUFACTURE OF ANY PARTS, WITHOUT WRITTEN
CONSENT OF GENERAL AIR PRODUCTS, INCORPORATED.

			
APPROVALS	DATE	TITLE:	
DRAWN TJK	9/30/2024	STANDGUARD WIRING DIAGRAM	
CHECKED XXX	9/30/2024		
SCALE NONE	SIZE 4		
SHEET 2 OF 2	A	DWG. NO. G-224098	REV 2

2

1